



Bulón con aro

Boulon avec anneau



Medidas (mm)							Modelo	Referencia
Ø A	B	C	D	E	F	G		
98	54	Tr 38x4	155	120	90	8	VA16SNK, R416VAK (905.248.000) R316VAP (905.202.000) R436VAK(905.198.250),(905.240.000) (905.247.000)(410.075.116)	905.000.137
98	54	Tr 52x5	194	159	151	8	F02SK-R, R402F-R, FD02SK-R (905.165.000) VA01SK, R401VAK (905.294.000)	905.000.213
98	54	Tr 38x4	191	156	125	8	F14SK-R	905.000.250
98	54	Tr 52x5	125	103	85	9	R405VAK, CH05160A, CH05200A (905.237.000)	906.000.276
98	54	Tr 38x4	140	119	75	21	VA05105N	906.000.287
98	54	Tr 38x4	140	105	75	8	VA05105N	905.000.237
98	54	Tr 52x5	314	279	271	8	FD02 con suplemento 120mm (905.167.000)	905.000.313

Búlón con pasador
Boulon avec goupille




Medidas								Modelo	Peso	Referencia
Ø A	B	C	D	E	F	G	H			
98	54	Tr 52x5	215	180	163	167	8	F02SK-KN, FD02SK-KN, (905.233.000), (905.393.000), (905.203.000).	3 Kg	905.000.051
98	54	Tr 38x4	205	170	158	145	8	F14SK-KN (905.306.000)	2 Kg	905.000.138


Bulón antirrobo 2 cabezas con tuerca diam 52 y pasador *Boulon antivol 2 têtes avec écrou diam 52 et goupille*

DESPIECE DE COMPONENTES:


- 1) REF.: 905.100.088 - TUERCA Ø52mm.



- 2) REF.: 905.100.051 - BULON HEMBRA Ø52mm.




- 3) REF.: 905.200.051 - BULON MACHO Ø52mm.



- 4) REF.: 905.000.010 - PASADOR Ø8x40






Casquillo exterior
Bague extérieure





Medidas (mm)					Modelo	Referencia
Ø A	B	Ø C	Ø D	E		
105	58	120	86	65	VA01SK, R401VAK (905.294.000)	906.000.160
100	56	112	69	58	VA16SNK, R416VAK (905.248.000), R316VAP, R436VAK, (905.202.000)	905.000.177
105	60	120	86	39	R405VAK, CH05160A, CH05200A, (905.237.000)	906.000.274

Casquillo interior Bague intérieure





Medidas (mm)							Modelo	Referencia
ØA	B	C	D	ØE	F	ØG		
100	57	42	83	84	57	53	VA01SK, R401VAK	906.000.161
98	54	42	60	67	57	40	VA16SNK, R416VAK, R316VAP, R436VAK	905.000.178
100	59	28	39	84	59	54	R405VAK, CV05160A, CV05200A	905.000.273
100	61	28	41	84	56	40	VA05105N	906.000.279

Tuerca cónica
Écrou conique



Medidas (mm)					Modelo	Referencia
Ø A	B	C	D	E		
100	170	Tr 52x5	46	75	VA01SK, R401VAK	905.000.072
84	140	Tr 38x4	57	82	VA16SNK, R416VAK, R316VAP, R436VAK	905.000.127
100	170	Tr 52x5	45	65	R405VAK, CH05160A, CH05200A	905.000.275
84	170	Tr 38x4	45	65	VA05105N	906.000.278

Tuerca plana
Écrou plat



Medidas (mm)			Modelos	Referencia
A (Ø)	B	C		
Ø 84	140	M 38	F14SK	905.000.077
Ø 100	170	M 52	F02SK, R402F, FD02SK	905.000.088